











Laserschutz für unterwegs  
- beim Kunden vor Ort

Sie benötigen einen flexiblen Laserschutz, der gleichzeitig leicht transportabel ist sowie schnell aufgebaut werden kann? Für diesen Fall bietet sich das 3-teilige „Service Right™“ an. Es besteht aus 3 FLEX-GUARD™-Paneele mit je 0,90 m Breite und 1,98 m Höhe, die schnell miteinander verbunden werden können. Verstauen lässt sich das Set in einer kleinen Reisetasche, die im Lieferumfang enthalten ist. Dank des geringen Gewichts von nur 13 kg, lässt sie sich problemlos zum Einsatzort transportieren. Auch Paneele mehrerer Sets können miteinander verbunden werden.


Laser Protection for on the Go  
– On-Site Customer Service

Do you require flexible laser protection that is portable and easy to set up at the same time? Then the three-part "Service Right™" is ideal for your application. It consists of three FLEX-GUARD™ panels, each of which is 0.9 m in width and 1.98 m in height and all of which can be quickly connected to one another. This set can be stored in a small travel bag that is included in delivery. Thanks to its light weight of just 13 kg, it can be transported to the site of operation without a problem. Panels from several different sets can also be connected to one another.



Wavelength and Protection Level	
Wavelength [nm]	Protection Level DIN EN 12254:2010 (for lasers up to 100 W)
190 nm – 315 nm	D AB9 CE + R AB3 CE
> 315 nm – 1050 nm	D AB6 CE
> 1050 nm – 1400 nm	D AB5 CE
> 315 nm – 1400 nm	IR AB7 CE + M AB7 CE
> 1400 nm – 11100 nm	DR AB3 CE

LAUNE ungary Kft.  
<https://laune.hu/>  
[info@laune.hu](mailto:info@laune.hu)



Beispiel einer korrekten Kennzeichnung in Europa.

Example of a correct designation in Europe.

