



# KOVONA

HIVATALOS MAGYARORSZÁGI FORGALMAZÓ

 **LAUNE**

info@laune.hu | www.laune.hu



# Cloakroom equipment

STEEL FURNITURE

QUALITY - ISO 9001:2001

TRADITION - SINCE 1913

## 2 Welded lockers - width 300mm



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Inner layout: nameplate, shelf, 2 hooks and a clothes bar.
- Lockers on pedestal can be equipped with steel legs - type M05987. (easy bolt assembly system). Lockers on legs have legs firmly welded to the body (can not be removed).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- For all types of welded lockers can be used appropriate accessories for assembled lockers (See page 33).
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



padlock







bolted steel sheet legs







cylindrical lock


Photo				
Product	A 51380 / A 51381	A 52380 / A52381	A 53380 / A 53381	A 54380 / A 54381
Number of doors	1	2	3	4
H x W x D mm	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	21	42	63	86

Photo				
Product	A 51387 / A 51388	A 52387 / A52388	A 53387 / A 53388	A 54387 / A 54388
Number of doors	1	2	3	4
H x W x D mm	1950 x 300 x 500	1950 x 600 x 500	1950 x 900 x 500	1950 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	22	43	65	87

<b>Photo</b>				
<b>Product</b>	<b>A 51350 / A 51351</b>	<b>A 52350 / A 52351</b>	<b>A 53350 / A 53351</b>	<b>A 54350 / A 54351</b>
Number of doors	1	2	3	4
H x W x D mm	1500 x 300 x 500	1500 x 600 x 500	1500 x 900 x 500	1500 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	18	36	54	73

<b>Photo</b>				
<b>Product</b>	<b>A 51357 / A 51358</b>	<b>A 52357 / A 52358</b>	<b>A 53357 / A 53358</b>	<b>A 54357 / A 54358</b>
Number of doors	1	2	3	4
H x W x D mm	1650 x 300 x 500	1650 x 600 x 500	1650 x 900 x 500	1650 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	19	37	55	74

<b>Photo</b>				
<b>Product</b>	<b>A 51320 / A 51321</b>	<b>A 52320 / A 52321</b>	<b>A 53320 / A 53321</b>	<b>A 54320 / A 54321</b>
Number of doors	1	2	3	4
H x W x D mm	1200 x 300 x 500	1200 x 600 x 500	1200 x 900 x 500	1200 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	15	27	44	60

<b>Photo</b>				
<b>Product</b>	<b>A 51327 / A 51328</b>	<b>A 52327 / A 52328</b>	<b>A 53327 / A 53328</b>	<b>A 54327 / A 54328</b>
Number of doors	1	2	3	4
H x W x D mm	1350 x 300 x 500	1350 x 600 x 500	1350 x 900 x 500	1350 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	16	28	45	61

# 4 Welded lockers - width 400mm



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Inner layout: nameplate, dividing wall, shelf, 2 hooks and a clothes bar.
- Lockers on pedestal can be equipped with steel legs - type M05987. (easy bolt assembly system). Lockers on legs have legs firmly welded to the body (can not be removed).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- For all types of welded lockers can be used appropriate accessories for assembled lockers (See page 33).
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



dividing partition wall



padlock



bolted steel sheet legs



cylindrical lock

Photo			
Product	A 51480 / A 51481	A 52480 / A52481	A 53480 / A 53481
Number of doors	1	2	3
H x W x D mm	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	28	48	84

Photo			
Product	A 51487 / A 51488	A 52487 / A52488	A 53487 / A 53488
Number of doors	1	2	3
H x W x D mm	1950 x 400 x 500	1950 x 800 x 500	1950 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	29	49	85




Photo			
Product	A 51450/ A 51451	A 52450 / A52451	A 53450 / A 53451
Number of doors	1	2	3
H x W x D mm	1500 x 400 x 500	1500 x 800 x 500	1500 x 1200 x 500
Locking syst.	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock
Weight (kg)	24	40	71




Photo			
Product	A 51457 / A 51458	A 52457 / A 52458	A 53457 / A 53458
Number of doors	1	2	3
H x W x D mm	1650 x 400 x 500	1650 x 800 x 500	1650 x 1200 x 500
Locking syst.	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock
Weight (kg)	25	41	72





Photo			
Product	A 51420 / A 51421	A 52420 / A 52421	A 53420 / A 53421
Number of doors	1	2	3
H x W x D mm	1200 x 400 x 500	1200 x 800 x 500	1200 x 1200 x 500
Locking syst.	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock
Weight (kg)	20	32	55

Photo			
Product	A 51427 / A 51428	A 52427 / A52428	A 53427 / A 53428
Number of doors	1	2	3
H x W x D mm	1350 x 400 x 500	1350 x 800 x 500	1350 x 1200 x 500
Locking syst.	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock
Weight (kg)	21	33	56



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Locker doors are equipped with plastic nameplate, reinforced dual wall and inner (hidden) hinges.  
Inner layout: shelf, 2 hooks and a clothes bar.  
Lockers on pedestal can be equipped with steel legs - type M05987 (easy bolt assembly system). Lockers on legs have legs firmly welded to the body (can not be removed).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- For all types of welded lockers can be used appropriate accessories for assembled lockers (See page 33).
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.

bolted steel sheet  
legscylindrical  
lockdual wall  
door

Photo				
Product	A 41380 / A 41381	A 42380 / A42381	A 43380 / A 43381	A 44380 / A 44381
Number of doors	1	2	3	4
H x W x D mm	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	23	42	63	93

Photo				
Product	A 41387 / A 41388	A 42387 / A42388	A 43387 / A 43388	A 44387 / A 44388
Number of doors	1	2	3	4
H x W x D mm	1950 x 300 x 500	1950 x 600 x 500	1950 x 900 x 500	1950 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	24	43	64	94





Photo				
Product	A 41350 / A 41351	A 42350 / A 42351	A 43350 / A 43351	A 44350 / A 44351
Number of doors	1	2	3	4
H x W x D mm	1500 x 300 x 500	1500 x 600 x 500	1500 x 900 x 500	1500 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	20	39	59	79





Photo				
Product	A 41357 / A 41358	A 42357 / A 42358	A 43357 / A 43358	A 44357 / A 44358
Number of doors	1	2	3	4
H x W x D mm	1650 x 300 x 500	1650 x 600 x 500	1650 x 900 x 500	1650 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	21	40	60	80






Photo				
Product	A 41320 / A 41321	A 42320 / A 42321	A 43320 / A 43321	A 44320 / A 44321
Number of doors	1	2	3	4
H x W x D mm	1200 x 300 x 500	1200 x 600 x 500	1200 x 900 x 500	1200 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	17	33	54	67

Photo				
Product	A 41327 / A 41328	A 42327 / A 42328	A 43327 / A 43328	A 44327 / A 44328
Number of doors	1	2	3	4
H x W x D mm	1350 x 300 x 500	1350 x 600 x 500	1350 x 900 x 500	1350 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	18	34	55	68





- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Locker doors are equipped with plastic nameplate, reinforced dual wall and inner (hidden) hinges.  
Inner layout: dividing wall, shelf, 2 hooks and a clothes bar.  
Lockers on pedestal can be equipped with steel legs - type M05987 (easy bolt assembly system). Lockers on legs have legs firmly welded to the body (can not be removed).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- For all types of welded lockers can be used appropriate accessories for assembled lockers (See page 33).
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



dividing partition wall



dual wall door



bolted steel sheet legs







cylindrical lock




Photo			
Product	A 41480 / A 41481	A 42480 / A 42481	A 43480 / A 43481
Number of doors	1	2	3
H x W x D mm	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	30	52	90




Photo			
Product	A 41487 / A 41488	A 42487 / A 42488	A 43487 / A 43488
Number of doors	1	2	3
H x W x D mm	1950 x 400 x 500	1950 x 800 x 500	1950 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	31	53	91



<b>Photo</b>			
<b>Product</b>	<b>A 41450/ A 41451</b>	<b>A 42450 / A42451</b>	<b>A 43450 / A 43451</b>
Number of doors	1	2	3
H x W x D mm	1500 x 400 x 500	1500 x 800 x 500	1500 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	24	40	71

<b>Photo</b>			
<b>Product</b>	<b>A 41457 / A 41458</b>	<b>A 42457 / A42458</b>	<b>A 43457 / A 43458</b>
Number of doors	1	2	3
H x W x D mm	1650 x 400 x 500	1650 x 800 x 500	1650 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	25	41	72

<b>Photo</b>			
<b>Product</b>	<b>A 41420 / A 41421</b>	<b>A 42420 / A42421</b>	<b>A 43420 / A 43421</b>
Number of doors	1	2	3
H x W x D mm	1200 x 400 x 500	1200 x 800 x 500	1200 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	20	32	44

<b>Photo</b>			
<b>Product</b>	<b>A 41427 / A 41428</b>	<b>A 42427 / A42428</b>	<b>A 43427 / A 43428</b>
Number of doors	1	2	3
H x W x D mm	1350 x 400 x 500	1350 x 800 x 500	1350 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	21	33	45



padlock

cylindrical  
lock

- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Lockers Nr. A 5044, 5047, 5064, 5067 are equipped in basic version with steel legs.
- Inner layout: shelf, 2 hooks and a clothes bar
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green,  
RAL 5005 - Blue, RAL 3000 - Red
- For all types of lockers on this page can be used appropriate accessories for assembled lockers (See page 33 )
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



Photo				
Product	A 5040 / A 5041	A 5060 / A 5061	A 5044 / A 5047	A 5064 / A 5067
Type	basic	basic	on legs	on legs
H x W x D mm	1800 x 600 x 500	1800 x 900 x 500	1950 x 600 x 500	1950 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	43	63	44	64



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Lockers Nr. A 5054, 5057, 5094, 5097 are equipped in basic version with steel legs.
- Inner layout: dividing wall, shelf, 2 hooks and a clothes bar.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- For all types of lockers on this page can be used appropriate accessories for assembled lockers (See page 33).
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



padlock




dividing partition wall



cylindrical lock



Photo				
Product	A 5050 / A 5051	A 5090 / A 5091	A 5054 / A 5057	A 5094 / A 5097
Type	basic	basic	on legs	on legs
H x W x D mm	1800 x 800 x 500	1800 x 1200 x 500	1950 x 800 x 500	1950 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	57	84	58	85



padlock

bolted steel sheet  
legscylindrical  
lock

- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Inner layout: according to the type of locker (see tab below)
- Lockers on pedestal can be equipped with steel legs - type M05987 (easy bolt assembly system).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green,  
RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.











Photo					
					
Product	A 51720 / A51721	A 51630 / A51631	A 51620 / A51621	A 14500 / A14501	A 05170 / A05171
Type	basic	basic	basic	basic	extension
H x W x D mm	1800 x 800 x 500	1800 x 600 x 500	1800 x 600 x 500	1800 x 600 x 500	500 x 800 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	39,4	28,6	30,2	25	13,5



padlock




cylindrical lock



- Body of locker is manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Locker doors are made of laminated panels with wood surface imitation.
- Inner layout: shelf, 2 hooks and a clothes bar (Type Nr. A 72320, A72321 without shelf).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - Laminated panel (light beech)
- For all types of lockers on this page can be used appropriate accessories for assembled lockers (See page 33).
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.

Photo					
Product	A 62380 / A 62381	A 63380 / A 63381	A 62480 / A 62481	A 63480 / A 63481	A 72320 / A 72321
Number of doors	2	3	2	3	4
H x W x D mm	1800 x 600 x 500	1800 x 900 x 500	1800 x 800 x 500	1800 x 1200 x 500	1800 x 600 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	46	69	54	93	45



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locking of doors by cylindrical lock with a single bar, can be also supplied (after the consultation with the manufacturer) with two- or three-point locking mechanism, or with padlock locking mechanism, can be also equipped with a system of master key.
- Locker doors are standardly equipped with outer hinges, air vents and nameplate holders. The lockers can also be equipped with full-door air vents (with extra cost). For locker SKS 22 A the doors are common for the whole locker space.
- Inner layout: shelf, 3 hooks and a clothes bar.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.




inner layout



cylindrical lock



nameplate



common door (SKS 22 A)



steel legs



pedestal









Photo					
Product	SAS 22 A	SAS 23 A	SAN 22 A	SAN 23 A	SKS 22 A
Number of doors	2	3	2	3	2
H x W x D mm	1850 x 500 x 500	1850 x 750 x 500	1850 x 500 x 500	1850 x 750 x 500	1850 x 500 x 500
Locking syst.	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock
Weight (kg)	41	59	41	59	40










Photo							
Product	SAS 31 A	SAS 32 A	SAS 33 A	SAN 31 A	SAN 32 A	SAN 33 A	SKS 32 A
Number of doors	1	2	3	1	2	3	1
H x W x D mm	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500	1850 x 600 x 500
Locking syst.	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock
Weight (kg)	24	44	63	24	44	63	44












Photo					
Product	SAS 41 A	SAS 42 A	SAN 41 A	SAN 42 A	SKS 42 A
Number of doors	1	2	1	2	1
H x W x D mm	1850 x 400 x 500	1850 x 800 x 500	1850 x 400 x 500	1850 x 800 x 500	1850 x 800 x 500
Locking syst.	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock
Weight (kg)	27	53	27	53	51

Photo						
Product	SAS 31D A	SAS 32D A	SAS 33D A	SAS 31C A	SAS 32C A	SAS 33C A
Number of doors	1	2	3	1	2	3
H x W x D mm	1500 x 300 x 500	1500 x 600 x 500	1500 x 900 x 500	1200 x 300 x 500	1200 x 600 x 500	1200 x 900 x 500
Locking syst.	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock
Weight (kg)	20	36	51	17	31	44





- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locking of doors by cylindrical lock with a single bar, can be also supplied (after the consultation with the manufacturer) with two- or three-point locking mechanism, or with padlock locking mechanism, can be also equipped with a system of master key.
- Locker doors are standardly equipped with inner hinges, air vents and with nameplate holders, or can be equipped (with extra cost) with full-door air vents.
- The locker bench is made of steel profiles and the seat is equipped with grey laminated board with ABS edge.
- Two types of inner layout:  
Standard - shelf, 3 hooks and a clothes bar  
VM - dividing wall, shelf, 3 hooks and a clothes bar  
(VM type only for lockers width 300mm and 400mm)
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



inner layout  
STANDARD









cylindrical  
lock



inner layout  
VM



Photo					
Product	SAL 22 A	SAL 32 A	SAL 42 A	SAL 23 A	SAL 33 A
Number of doors	2	2	2	3	3
H x W x D mm	2080 x 500 x 500	2080 x 600 x 500	2080 x 800 x 500	2080 x 750 x 500	2080 x 900 x 500
Locking syst.	cyl. lock	cyl. lock	cyl. lock	cyl. lock	cyl. lock
Weight (kg)	49	53	27	53	51



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker of triangular format suitable for termination of locker set with a depth of 500 mm. Ideal for filling the corner between the standard free-standing lockers or as free-standing group in space, see pictures below.
- Locking of doors by cylindrical lock with a single bar, can be also supplied (after the consultation with the manufacturer) with two- or three-point locking mechanism, or with padlock locking mechanism, can be also equipped with a system of master key.
- Locker doors are standardly equipped with inner hinges, air vents and with nameplate holders, or can be equipped (with extra cost) with full-door air vents.  
Inner layout: shelf, 3 hooks and a clothes bar
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.








Photo		
	RAS X1 A	RAS S1 A
		
Product	RAS X1 A	RAS S1 A
Number of doors	1	6
H x W x D mm	1850 x 380 x 370	1850 x 1000 x 1000
Locking syst.	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	18,5	148

Layout examples:  
for filling up corners or  
as a free standing set:





- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locking of doors by cylindrical lock with a single bar, can be also supplied with padlock locking mechanism, can be also equipped with a system of master key.
- Locker doors are equipped with inner hinges, air vents are located on back side of locker.
- Each lockers compartment is equipped with a „Z”-shaped dividing wall as well as „Z”-shaped doors.
- Inner layout:  
two hooks and clothes bar
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



inner layout










Photo					
Product	SZS 31 A	SZS 32 A	SZS 33 A	SZS 41 A	SZS 42 A
Number of doors	2	4	6	2	4
H x W x D mm	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500	1850 x 400 x 500	1850 x 800 x 500
Locking syst.	padlock / cyl. lock	closure / lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	32	59	94	34	59



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Locker doors are equipped with inner hinges, air vents are located on back side of locker.
- Inner layout:  
2 hooks and a clothes bar
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue  
RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.









cylindrical lock



inner layout



Photo					
					
Product	AZ1380 / AZ1381	AZ2380 / AZ2381	AZ3380 / AZ3381	AZ1480 / AZ1481	AZ2480 / AZ2481
Number of doors	2	4	6	2	4
H x W x D mm	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500	1800 x 400 x 500	1800 x 800 x 500
Locking syst.	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock	padlock / cyl.lock
Weight (kg)	26	47,3	68,6	29	54,3



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locking of doors by cylindrical lock with a single bar, can be also supplied (after the consultation with the manufacturer) with two- or three-point locking mechanism, or with padlock locking mechanism, can be also equipped with a system of master key.
- Locker doors are standardly equipped with outer hinges, air vents and nameplate holders. The lockers can also be equipped with full-door air vents (with extra cost).
- Inner layout:  
Type A - 3 hooks and a clothes bar  
Type B - shelf and 3 hooks and a clothes bar
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



inner layout



nameplate



cylindrical lock











Photo						
Product	SHS 31 A	SHS 32 A	SHS 33 A	SHS 31 B	SHS 32 B	SHS 33 B
Number of doors	2	4	6	2	4	6
H x W x D mm	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	24	44	63	27	49	70



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- For the basic version each door is equipped with a padlock locking mechanism or a cylindrical lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Locker doors are standardly equipped with inner hinges , nameplate holders with plastic nameplate, or can be equipped (with extra cost) with air vents. Basic air vents are located on back side of locker.
- Internal layout - 2 hooks and a clothes bar (shelf with extra cost).
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey  
RAL 6011 - Green  
RAL 5005 - Blue  
RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



padlock










Photo						
Product	A81320 / A81321	A82320 / A82321	A83320 / A83321	A81420 / A81421	A82420 / A82421	A83420 / A83421
Number of doors	2	4	6	2	4	6
H x W x D mm	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	23	42	63	28	52	84





- Universal use, suitable for example in school cloakrooms, swimming pools, fitness centers, etc.
- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker is divided into several compartments with separate doors.
- Locker doors are standardly equipped with inner hinges. Separate locking of each doors with padlock locking system or cylindrical lock. Lockers can also be equipped (with extra cost) with another locking system for example code-lock or coin lock.
- Lockers can be combined with parts of type OT, OTS, to create modern one-sided or double-sided locker set.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



padlock



coin lock













Photo						
Product	SBS 31 3	SBS 32 6	SBS 33 9	SBS 31 4	SBS 32 8	SBS 33 12
Number of doors	3	6	9	4	8	12
H x W x D mm	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	25	46	66	27	49	70

Photo					
Product	SBS 31 5	SBS 32 10	SBS 33 15	SBS 31 5 + OTS 55 S	2x SBS 31 5 + OT 80 A
Number of doors	5	10	15	-	-
H x W x D mm	1850 x 300 x 500	1850 x 600 x 500	1850 x 900 x 500	1850 x 850 x 500	1850 x 1400 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	29	57	74	48	72





- Universal use, suitable for example in school cloakrooms, swimming pools, fitness centers, etc.
- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker is divided into several compartments with separate doors.
- Locker doors are standardly equipped with inner hinges. Separate locking of each doors with padlock locking system or cylindrical lock.
- Lockers can also be equipped (with extra cost) with another locking system for example code-lock or coin lock.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.


cylindrical  
lock

padlock





coin  
lock

Photo						
Product	A81330 / A81331	A82330 / A82331	A83330 / A83331	A81340 / A81341	A82340 / A82341	A83340 / A83341
Number of doors	3	6	9	4	8	12
H x W x D mm	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	24	44	66	25	45	68


Photo					
Product	A81350 / A81351	A82350 / A82351	A83350 / A83351	A81440 / A81441	A82440 / A82441
Number of doors	5	10	15	-	-
H x W x D mm	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500	1800 x 400 x 500	1800 x 800 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	26	47	70	32	56







- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Inner layout of DLM 224/1: the upper part of the locker is equipped with a 'post box' opening flap. The inside is equipped with perforated bars with hooks for hanging up used clothing sacks.
- Locking by cylindrical lock, multi-door lockers: each door is locked by own cyl. lock.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.

Photo					
	<b>Product</b>	<b>SVO 01 01</b>	<b>SVO 01 06</b>	<b>SVO 01 08</b>	<b>SVO 01 10</b>
	<i>Number of doors</i>	1	6	8	10
	<i>H x W x D mm</i>	1770 x 380 x 460	1770 x 380 x 460	1770 x 380 x 460	1770 x 380 x 460
	<i>Locking sys.</i>	cyl. lock	cyl. lock	cyl. lock	cyl. lock
<i>Weight (kg)</i>	37	50	53	56	

## Lockers for fire station



- Welded lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.. Lockers for firemen are provided on legs with perforated bottoms of individual compartments. Each compartment is equipped with a clothes bar and with a massive hook for hanging up belt.
- Lockers may be supplied with a helmet hook or with a lockable letter box.
- Basic colour combinations:  
body - RAL 3000 - Red  
door - RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.

Photo					
	Product	HAN 41 A	HAN 42 A	HAN 41 B	HAN 42 B
	number of comp.	1	2	1	2
	H x W x D mm	1850 x 400 x 500	1850 x 800 x 500	2050 x 400 x 500	2050 x 800 x 500
	Locking syst.	cyl. lock	cyl. lock	-	-
Weight (kg)	22	39	21	38	



- Welded cube lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Handy box for widespread use, wide range of colours for an „Infinite” possibility of rows and columns.
- Possibility of locking the box with cylinder lock. It can also be customized to equip box with another locking system, code lock, padlock locking system.
- Basic colour combinations:  
body - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.

Photo		
	A 3020	A 3030
Product	A 3020	A 3030
H x W x D mm	350 x 350 x 500	450 x 450 x 500
Locking syst.	cyl. lock	cyl. lock
Weight (kg)	5	7

## Locker extension box - assembled - width 300, 800, 900mm



- Welded locker extension boxes are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker extension box is designed to expand the storage space of assembled lockers. One type of extension bellow. Please contact manufacturer to find correct type of extension box .
- For the basic version each door is equipped with a padlock locking mechanism or a cyl. lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Basic colour combinations:  
body - RAL 7035 - Light grey, door - RAL 7035 - Light grey, RAL 6011 - Green, RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after the consultation with the manufacturer.

Photo			
	A 1340 / A 1341	A 1360 / A 1361	A 1370 / A 1371
Product	A 1340 / A 1341	A 1360 / A 1361	A 1370 / A 1371
H x W x D mm	500 x 600 x 500	500 x 800 x 500	500 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	10	12	21



cylindrical lock



padlock

# 26 Assembled lockers - width 300mm



- Assembled lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Universal use for an "infinite" possibility of rows. 300 and 400 mm wide lockers can be combined in one row.
- For the basic version each door is equipped with a padlock locking mechanism or a cyl. lock. Code locking mechanism or other similar locking mechanism available after consulting with the manufacturer.
- Inner layout - shelf , hook and clothes bar.
- Locker doors are equipped with air vents and with a nameplate holder.
- Locker can be equipped with locker roof, base for better maintenance or with benches for higher comfort of user.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- Other colour shades according to the RAL pattern book available after consultation with the manufacturer.



padlock



cylindrical lock



locker roof

Photo				
Product	A 1000 / A 1001	A 1010 / A 1011	A 1008 / A 1018	A 1000 + 2x A 1010 A 1001 + 2x A 1011
Type	basic	additional	set	set
H x W x D mm	1800 x 400 x 500	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking sys.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	24	20	44	64



locker on low base



locker on high base







locker on bench



inner layout  
shelf, dividing wall

- Assembled lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Inner layout - shelf, clothes bar and dividing wall. Air circulation assured through the air vents in doors.
- Locker can be equipped with locker roof, base for better maintenance or with benches for higher comfort of user.
- Basic colour combinations: body - RAL 7035 - Light grey, door - RAL 7035 - Light grey, RAL 6011 - Green, RAL 5005 - Blue, RAL 3000 - Red
- Other colour shades according to the RAL pattern book available after consultation with the manufacturer.

Photo				
Product	A 1020 / A 1021	A 1030 / A 1031	A 1020 + A 1030 A 1021 + A 1031	A 1020 + 2x A 1030 A 1021 + 2x A 1031
Type	basic	additional	set	set
H x W x D mm	1800 x 400 x 500	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	31	27	58	75





- Universal use, suitable for example in school cloakrooms, swimming pools, fitness centers, etc.
- Assembled lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker is divided into several compartments with separate doors. Separate locking of each door with padlock or cylindrical lock. It is also possible (with extra cost) to equip lockers by another locking system for example code-lock or coin lock.
- Locker can be equipped with locker roof, base for better maintenance or with benches for higher comfort of user.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



padlock










Photo				
Product	A 3300 / A 3301	A 3310 / A 3311	A 3300 + A 3310 A 3301 + A 3311	A 3300 + 2x A 3310 A 3301 + 2x A 3311
Type	basic	additional	set	set
H x W x D mm	1800 x 300 x 500	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	25	21	48	70

Photo				
Product	A 3320 / A 3321	A3330 / A 3331	A 3320 + A 3330 A 3321 + A 3331	A 3320 + 2x A 3330 A 3321 + 2x A 3331
Type	basic	additional	set	set
H x W x D mm	1800 x 400 x 500	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	29	25	55	80



- Universal use, suitable for example in school cloakrooms, swimming pools, fitness centers, etc.
- Assembled lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker is divided into several compartments with separate doors. Separate locking of each door with padlock or cylindrical lock. It is also possible (with extra cost) to equip lockers by another locking system for example code-lock or coin lock.
- Locker can be equipped with locker roof, base for better maintenance or with benches for higher comfort of user.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



padlock









Photo				
Product	A 3505 / A 3506	A 3515 / A 3516	A 3505 + A 3515 A 3506 + A 3516	A 3505 + 2x A 3515 A 3506 + 2x A 3516
Type	basic	additional	set	set
H x W x D mm	1800 x 300 x 500	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	27	23	50	73

Photo				
Product	A 3525 / A 3526	A 3535 / A 3536	A 3525 + A 3535 A 3526 + A 3536	A 3525 + 2x A 3535 A 3526 + 2x A 3536
Type	basic	additional	set	set
H x W x D mm	1800 x 400 x 500	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	31	27	58	85





- Universal use, suitable for example in school cloakrooms, swimming pools, fitness centers, etc.
- Assembled lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker is divided into several compartments with separate doors. Separate locking of each door with padlock or cylindrical lock. It is also possible (with extra cost) to equip lockers by another locking system for example code-lock or coin lock.
- Locker can be equipped with locker roof, base for better maintenance or with benches for higher comfort of user.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



padlock









Photo				
Product	<b>A 3605 / A 3606</b>		<b>A 3615 / A 3616</b>	
Type	basic		additional	
H x W x D mm	1800 x 300 x 500		1800 x 300 x 500	
Locking syst.	padlock / cyl. lock		padlock / cyl. lock	
Weight (kg)	29		25	
			55	
			70	

Photo				
Product	<b>A 3625 / A 3626</b>		<b>A 3635 / A 3636</b>	
Type	basic		additional	
H x W x D mm	1800 x 400 x 500		1800 x 400 x 500	
Locking syst.	padlock / cyl. lock		padlock / cyl. lock	
Weight (kg)	33		28	
			61	
			89	



- Universal use, suitable for example in school cloakrooms, swimming pools, fitness centers, etc.
- Assembled lockers are manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Locker is divided into several compartments with separate doors. Separate locking of each door with padlock or cylindrical lock. It is also possible (with extra cost) to equip lockers by another locking system for example code-lock or coin lock.
- Locker can be equipped with locker roof, base for better maintenance or with benches for higher comfort of user.
- Basic colour combinations:  
body - RAL 7035 - Light grey  
door - RAL 7035 - Light grey, RAL 6011 - Green  
RAL 5005 - Blue, RAL 3000 - Red
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



cylindrical lock



padlock

Photo				
Product	A 3545 / A 3546	A 3555 / A 3556	A 3545 + A 3555 A 3546 + A 3556	A 3545 + 2x A 3555 A 3546 + 2x A 3556
Type	basic	additional	set	set
H x W x D mm	1800 x 300 x 500	1800 x 300 x 500	1800 x 600 x 500	1800 x 900 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	31	27	57	83

Photo				
Product	A 3565 / A 3566	A 3575 / A 3576	A 3565 + A 3575 A 3566 + A 3576	A 3565 + 2x A 3575 A 3566 + 2x A 3576
Type	basic	additional	set	set
H x W x D mm	1800 x 400 x 500	1800 x 400 x 500	1800 x 800 x 500	1800 x 1200 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	35	31	65	95

## 32 Locker set - assembled - width 300mm + 400mm



- Complete modern locker set suitable for offices, dressing rooms, homes, etc.
- Locker is divided into several compartments with separate doors. Separate locking of each door with padlock or cylindrical lock.
- It is also possible (with extra cost) to equip lockers by another locking system for example code-lock or padlock.
- Manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Parts of product can be combined with other assembled lockers to make modern locker set by your self.
- Basic colour combinations:  
body - RAL 7035 - Light grey, door - RAL 7035 - Light grey, RAL 6011 - Green, RAL 5005 - Blue, RAL 3000 - Red.
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



*cylindrical lock*



*padlock*



Photo				
Product	A 3046	A 3056	A 3066	A 3076
Type	doublesided	onesided	doublesided	onesided
H x W x D mm	1800 x 1800 x 500	1800 x 1420 x 500	1800 x 1600 x 500	1800 x 1320 x 500
Locking syst.	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock	padlock / cyl. lock
Weight (kg)	76	47	68	43



- Manufactured from quality steel sheet with powder surface finish, designed for interior use.
- Base improve usage comfort of the lockers and simplify cleaning in large cloak-rooms. Using of base can also allows you store footwear or other things under lockers.
- The base can be used with all of the assembled lockers from our catalog, you can choose from two heights: 150 mm or 350 mm.
- You can attached base to the locker with screws or rivets to improve safety.
- Base can be supplied welded after agreement with manufacturer.
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.

locker on  
low base - height 150 mm





Photo		
		
Product	A 6610 / A 6620 / A 6630 / A6670 / A6680 / A 6690	A 7001 / A7011 / A 7021 / A7031 / A 7041 / A 7051
H x W x D mm	350 x 500 x 300 / 400 / 600 / 800 / 900 / 1200	150 x 500 x 300 / 400 / 600 / 800 / 900 / 1200
For locker w.(mm)	1 x 300 / 1 x 400 / 2 x 300 / 2 x 400 / 3 x 300 / 3 x 400	1 x 300 / 1 x 400 / 2 x 300 / 2 x 400 / 3 x 300 / 3 x 400
Weight (kg)	3,7 / 3,9 / 4,4 / 4,8 / 5 / 5,6	2,8 / 3 / 3,5 / 4 / 4,2 / 4,8

## Locker accessories



- Optional sloping roof prevents from putting unwanted objects on the top part of the lockers. Manufactured from quality steel sheet with powder surface finish, designed for interior use and supplied welded. Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.
- Lockers can be customized with various types of locking systems:  
plastic chamber - prevents lockers from being scratched by keys.  
3-point locking system with built-in cyl. lock increases the security of stored items.  
Code lock - easy locking of lockers without keys.
- Lockers can be equipped with steel legs - type M05987 (easy bolt assembly system).

Photo		
		
Product	M6070 / M 6150 / M6080 / M 6170 / M 6180 / M 6190	M 05987
H x W x D mm	130 x 500 x 600 / 800 / 900 / 1200	height 150mm
For locker w.(mm)	1x300/ 2 x 300 / 1x400 / 2 x 400 / 3 x 300 / 3 x 400	
Weight (kg)	-	






plastic chamber  
with padlock  
locking syst.



3-point locking syst.  
with built-in  
cyl. lock



code - lock






- Bench frames are manufactured from quality square steel profiles 25x25 mm, with powder surface finish (colour RAL 7035 Light gray), designed for interior use.
- Sitting parts and backrests are made of massive varnished wood.
- All benches are supplied disassembled, easy assembly by screw-bolt. It can be also supplied welded after agreement with manufacturer.
- Benches can be equipped with a shoe grid after agreement with the manufacturer.
- Benches for assembled lockers are made for set of lockers width from 600mm to 1200mm. Lockers can be fixed on benches with screws and rivets in order to improve safety.
- Other additional colour shades according to the RAL pattern book available after consultation with the manufacturer.



Photo					
Product	A 6390 / A 6400 / A 6410 A 6420 / A 6430	A 7660 / A 7540 / A 7680 A 7520	A 6280 / A 6270 / A 6260 A 6250 / A 6240	A 6850 / A 6840 / A 6830 A 6820 / A 6810	A 6800 / A 6790 / A 6780 A 6770 / A 6760
H x D x W mm	25 x 290 x 1000 / 1200 / 1500 / 1600 / 2000	370 x 800 x 600 / 800 / 900 / 1200	450 x 290 x 1000 / 1200 / 1500 / 1600 / 2000	1800 x 315 x 1000 / 1200 / 1500 / 1600 / 2000	1800 x 605 x 1000 / 1200 / 1500 / 1600 / 2000
Number of hooks	-	-	-	5 / 6 / 8 / 8 / 10	10 / 12 / 16 / 16 / 20
For locker w.(mm)	-	2 x 300 / 2 x 400 / 3 x 300 / 3 x 400	-	-	-
Weight (kg)	4,4	9 / 11,5 / 12 / 14	10 / 11,5 / 13,5 / 14,5 / 16,5	18 / 20 / 23 / 26 / 30	31,5 / 35 / 40 / 45 / 51,5





## Benches for lockers

- Benches are manufactured from quality square steel profiles 30x30 mm, with powder surface finish, sitting parts are made from grey laminated board with ABS edge, designed for interior use.

## Freestanding benches, cloak - room benches





- Bench frames are manufactured from quality square steel profiles 30x30 mm, with powder surface finish, sitting parts and backrests are made of grey laminated board with ABS edge, designed for interior use. Benches are supplied welded (assembled).



locker on bench and free-standing bench



Bench for locker

Photo				
Product	LAV 10 / LAV 15 LAV 20	LAV 10 O, LAV 15 O LAV 20 O	LAV 10 V, LAV 15 V LAV 20 V	LAV 400, LAV 500, LAV 600 LAV 750, LAV 800, LAV 900 LAV 1200
H x W x D mm	420 x 400 x 1000 / 1500 / 2000	800 x 430 x 1000 / 1500 / 2000	1800 x 430 x 1000 / 1500 / 2000/	370 x 810 x 400 / 500 / 600 / 750 / 800 / 900 / 1200
Number of hooks	-	-	8 / 11 / 13	-
For locker w.(mm)	-	-	-	1x 400/2x 250/2x 300/3x 250/2x 400/3x 300/3x400
Weight (kg)	17 / 23 / 18	26 / 36 / 46	33 / 45 / 55	7 / 8 / 8 / 12 / 10 / 11 / 13